Form PTO-1449 **U.S. Department of Commerce** Atty. Docket No. Serial No. Patent and Trademark Office 48231-AZ-PCT-US Not Yet Known JPW/AJM/MML INFORMATION DISCLOSURE CITATION Applicants: Greenwald and Levitan (Use several sheets if necessary) Group Filing Date 1653 **U.S. PATENT DOCUMENTS** Document Number Date Examiner Class Subclass Filing Date Initial if Appropriate 4/23/03 Baumeister 7/11/00 Greenwald 11/24/98 St. George-Hyslop FOREIGN PATENT DOCUMENTS Document Number Date Class Subclass Country Translation Yes No 3/3/97 PCT OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) European Search Report, dated November 20, 2002; PCT International Search Report, dated January 21, 1997; PCT Written Opinion, dated July 15, 1997; Bai C. et al. "SKP1 connects cell cycle regulators to the ubiquitin proteolysis machinery through a novel motif, the F-box," Cell 86:263-74 (1996); Brenner S. "The genetics of Caenorhabditis elegans", Genetics. (1974) 77(1):71-94; Daigle I. and Li C. "apl-1, a Caenorhabditis elegans gene encoding a protein related to the human beta-amyloid protein precursor" Proc. Natl. Acad. Sci. U.S.A. (1993) 90(24):12045-9; Database dbEST, National Center for Biotechnology Information, National Library of Medicine, GenBank Accession No. H19012 (1995); Database EMBL Accession No: U35660 (1995) Levitan D., Greenwald I., "Caenorhabditis elegans membrane protein (sel-12) mRNA" XP002176178; Ellisen L.W. et al. "TAN-1, the human homolog of the Drosophila Notch gene, is broken by chromosomal translocations in T lymphoblastic neoplasms," Cell 66:649-61 (1991); Fire A. et al. "A modular set of lacZ fusion vectors for studying gene expression in Caenorhabditis elegans" Gene (1990) 93(2):189-98; DATE CONSIDERED **EXAMINER** *EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in

conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-14	9 U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 48231-AZ-PCT-US JPW/AJM/MML	Serial No. Not Yet Known	
	INFORMATION DISCLOSURE CITATION	Applicants: Greenwald	Applicants: Greenwald and Levitan	
	(Use several sheets if necessary)	Filing Date	Group 1653	
	OTHER DOCUMENTS (Including Author, Title, Da	te, Pertinent Pages, Etc.)		
	Fitzgerald K. and Greenwald I. "Interchangeabi proteins and intrinsic signalling activity of t Development (1995) 121(12):4275-82;	lity of Caenorhabditis heir extracellular dom	s elegans DSL ains in vivo"	
	Gallahan D. and Callahan R. "Mammary tumorigenesis new int locus in mouse mammary tumor virus (Czech 161:66-74 (1987);			
	Grant B. and Greenwald I. "Structure, function regulator of LIN-2 and GLP-in C. elegans," Develop			
	Greenwald I. et al. "The lin-12 locus specifies cel 44 (1983);	l fates in C. elegans,"	Cell 34:435-	
	Greenwald I. and Seydoux G. "Analysis of gain-of-fu C. elegans," Nature 346:197-99 (1990);	nction mutations of the	lin-2 gene of	
	Greenwald I. "Structure/function studies of lin-1 Dev. (1994) 4(4):556-62;	2/Notch proteins" Curr	. Opin. Genet.	
	Hedgecock E.M. and Herman R.K. "The ncl-1 gene a elegans" Genetics (1995) 141(3):989-1006;	nd genetic mosaics of	Caenorhabditis	
	Hedgecock E.M. et al. "Genetics of cell and axon Development (1987) 100(3):365-82;	migrations in Caenorhab	ditis elegans"	
	Hubbard J. et al. "Sel-10 negative regulator of linmember of the CDC4 family of proteins," Genes Dev.	n-12 activity in C. elec 11:3182-93 (1997);	ans, encodes a	
	Kimble J. "Alteration in cell lineage following la gonad of C. elegans," Dev. Biol. 87:286-300 (1981);	ser ablation of cells	in the somatic	
	King R.W. et al. "How proteolysis drives the cell cy	ycle," Science 274:1652-	-58 (1996);	
	Levitan D. and Greenwald I. "Facilitation of lin Caenorhabditis elegans S182 Alzheimer's disease gene			
	Levy-Lahad E. et al. "Genomic structure and ex familial Alzheimer disease gene" Genomics (1996) 34		chromosome 1	
	Levy-Lahad E. et al. "Candidate gene for the chron locus" Science (1995) 269(5226):973-7;	mosome 1 familial Alzhe	imer's disease	
	L'Hernault S.W. and Arduengo P.M. "Mutation of a Caenorhabditis elegans prevents sperm differentia divisions" J. Cell. Biol. (1992) 119(1):55-68;			
	Li X. and Greenwald I. "HOP-1, a Caenorhabditis functionally redundant with SEL-12 presentiin a signaling" Proc. Natl. Acad. Sci. U.S.A. (1997) 94(2)	nd to facilitate LIN		
	Mello C.C. et al. "Efficient gene transfer in C. and integration of transforming sequences" EMBO J.	elegans: extrachromosom (1991) 10(12):3959-70;	al maintenance	
	Neer E.J. et al. "The ancient regulatory-protein : 371:297-300 (1994);	family of WD-repeat pro	teins," Nature	
	Robbins J. et al. "Mouse mammary tumor gene int-3 transforms mammary epithelial cells," J. Virol. 66:		ch gene family	
EXAMINER	DATE CONSIDERED	-		

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Applicants: Greenwald and Levitan

Form PTO-1449

U.S. Department of Commerce Patent and Trademark Office

Atty. Docket No. 48231-AZ-PCT-US JPW/AJM/MML

Serial No. Not Yet Known

INFORMATION DISCLOSURE CITATION (Use several sheets if necessary)

Filing Date

Group

		Filing Date	1653	
	OTHER DOCUMENTS (Including Author, Title, Dat	e, Pertinent Pages, Etc.)	
	Rogaev E. I. et al. "Familial Alzheimer's disease in kindreds with missense mutations i a gene on chromosome 1 related to the Alzheimer's disease type 3 gene" Nature (1995 376(6543):775-8;			
	Seydoux G. and Greenwald I. "Cell autonomy of lin-1: C. elegans," Cell 57:1237-45 (1989);	2 function in a cell	fate decision in	
	Shen J. et al. "Skeletal and CNS defects in preseni (1997);	lin-1-deficient mice,	" Cell 89:629-39	
	Sherrington R. et al. "Cloning of a gene bearing missense mutations in early-onset familial Alzheimer's disease" <i>Nature</i> (1995) 375(6534):754-60;			
	Stratagene Cloning Systems Catalog, 1993, pages 27, 31, 32, and 313;			
	Struhl G. et al., "Intrinsic activity of the Lin-1 vivo" Cell (1993) 74(2):331-45;	2 and Notch intracel	lular domains in	
	Sundaram M. and Greenwald I. "Genetic and phenomutants in Caenorhabditis elegans" Genetics (1993) 1		pomorphic lin-12	
	Sundaram M. and Greenwald I. "Suppressors of a interact with both lin-12 and glp-1 in Caeno 135(3):765-83;			
	Tuck S. and Greenwald I. "Lin-25, a gene required Genes Dev. 9:341-57 (1995);	for vulval induction	in C. elegans,	
	Wen C. et al. "spr-2, a suppressor of the egg-lay presenilin in Caenorhabditis elegans, is a member Natl. Acad. Sci. U.S.A. (2000) 97(26):14524-9;			
	Wilkinson H.A. and Greenwald I. "Spatial and tem during C. elegans hermaphrodite development" Genetic	poral patterns of l s (1995) 141(2):513-2	in-12 expression	
	Wilkinson H.A. et al. "Reciprocal changes in expressigand lag-2 prior to commitment in a C. elegan 79(7):1187-98;			
	Wilson R. et al. "2.2 Mb of contiguous nucleotide elegans," Nature 368:32-38 (1994);	sequence from chrom	osome III of C.	
	Wong P.C. et al. "Presenilin-1 is required for I paraxial mesoderm," Nature 387:288-91 (1997); and	Notch1 and DII 1 ex	pression in the	
	Yochem J. and Byers B. "Structural comparison of the and a related pseudogene," J. Mol. Biol. 195:233-45		cycle gene CDC4	
(AMINER	DATE CONSIDERED			

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609: Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Serial No.: Not Yet Known

Filed: Herewith

Page 10

Sequence Listing

Applicants submit herewith (a) a paper copy of the Sequence Listing, inserted into the specification following the Abstract of the Disclosure, (b) a request to use the computer readable form (CRF) of the sequence listing submitted in prior application U.S. Serial No. 09/043,944, attached hereto as **Exhibit A**, and (c) a statement in accordance with 37 C.F.R. \$1.821(f) attached hereto as **Exhibit B**, certifying that the CRF and written sequence listing contain the same sequence information.

Information Disclosure

In accordance with their duty of disclosure under 37 C.F.R. §1.56, applicants request that the following disclosures be made of record in the above-identified application pursuant to 37 C.F.R. §1.97(b). These references are also listed on the Form PTO-1449 attached hereto as **Exhibit C**. Copies of these references were submitted in connection with prior application U.S. Serial No. 09/043,944.

- 1. U.S. Patent No. 6,376,239, issued April 23, 2002, Baumeister;
- U.S. Patent No. 6,087,153, issued July 11, 2000, Greenwald et al.;
- 3. U.S. Patent No. 5,840,540, issued November 24, 1998, Peter H. St. George-Hyslop et al.;
- 4. PCT International Application No. WO 97/11956, published April 3, 1997;
- 5. European Search Report, dated November 20, 2002;
- 6. PCT International Search Report, dated January 21, 1997;
- 7. PCT Written Opinion, dated July 15, 1997;

Serial No.: Not Yet Known

Filed: Herewith

- 8. Bai C. et al. "SKP1 connects cell cycle regulators to the ubiquitin proteolysis machinery through a novel motif, the F-box," Cell 86:263-74 (1996);
- 9. Brenner S. "The genetics of Caenorhabditis elegans", Genetics. (1974) 77(1):71-94;
- 10. Daigle I. and Li C. "apl-1, a Caenorhabditis elegans gene encoding a protein related to the human beta-amyloid protein precursor" Proc. Natl. Acad. Sci. U.S.A. (1993) 90(24):12045-9;
- 11. Database dbEST, National Center for Biotechnology Information, National Library of Medicine, GenBank Accession No. H19012 (1995);
- 12. Database EMBL Accession No: U35660 (1995) Levitan D., Greenwald I., "Caenorhabditis elegans membrane protein (sel-12) mRNA" XP002176178;
- 13. Ellisen L.W. et al. "TAN-1, the human homolog of the Drosophila Notch gene, is broken by chromosomal translocations in T lymphoblastic neoplasms," Cell 66:649-61 (1991);
- 14. Fire A. et al. "A modular set of lacZ fusion vectors for studying gene expression in Caenorhabditis elegans" Gene (1990) 93(2):189-98;
- 15. Fitzgerald K. and Greenwald I. "Interchangeability of Caenorhabditis elegans DSL proteins and intrinsic signalling activity of their extracellular domains in vivo" Development (1995) 121(12):4275-82;
- 16. Gallahan D. and Callahan R. "Mammary tumorigenesis in feral mice: identification of a new int locus in mouse mammary tumor virus (Czech II)-induced mammary tumors," J. Virol. 61:66-74 (1987);

Serial No.: Not Yet Known

Filed: Herewith

- 17. Grant B. and Greenwald I. "Structure, function and expression of SEL-1, a negative regulator of LIN-2 and GLP-in C. elegans," Development 124:637-644 (1997);
- 18. Greenwald I. et al. "The lin-12 locus specifies cell fates in C. elegans," Cell 34:435-44 (1983);
- 19. Greenwald I. and Seydoux G. "Analysis of gain-of-function mutations of the lin-2 gene of C. elegans," Nature 346:197-99 (1990);
- 20. Greenwald I. "Structure/function studies of lin-12/Notch proteins" Curr. Opin. Genet. Dev. (1994) 4(4):556-62;
- 21. Hedgecock E.M. and Herman R.K. "The ncl-1 gene and genetic mosaics of Caenorhabditis elegans" Genetics (1995) 141(3):989-1006;
- 22. Hedgecock E.M. et al. "Genetics of cell and axon migrations in Caenorhabditis elegans" Development (1987) 100(3):365-82;
- 23. Hubbard J. et al. "Sel-10 negative regulator of lin-12 activity in C. elegans, encodes a member of the CDC4 family of proteins," Genes Dev. 11:3182-93 (1997);
- 24. Kimble J. "Alteration in cell lineage following laser ablation of cells in the somatic gonad of C. elegans,"

 Dev. Biol. 87:286-300 (1981);
- 25. King R.W. et al. "How proteolysis drives the cell cycle," Science 274:1652-58 (1996);
- 26. Levitan D. and Greenwald I. "Facilitation of lin-12-mediated signalling by sel-12, a Caenorhabditis elegans S182 Alzheimer's disease gene" Nature (1995) 377(6547): 351-4;

Serial No.: Not Yet Known

Filed: Herewith

- 27. Levy-Lahad E. et al. "Genomic structure and expression of STM2, the chromosome 1 familial Alzheimer disease gene" Genomics (1996) 34(2):198-204;
- 28. Levy-Lahad E. et al. "Candidate gene for the chromosome 1 familial Alzheimer's disease locus" Science (1995) 269(5226):973-7;
- 29. L'Hernault S.W. and Arduengo P.M. "Mutation of a putative sperm membrane protein in Caenorhabditis elegans prevents sperm differentiation but not its associated meiotic divisions" J. Cell. Biol. (1992) 119(1):55-68;
- 30. Li X. and Greenwald I. "HOP-1, a Caenorhabditis elegans presentlin, appears to be functionally redundant with SEL-12 presentlin and to facilitate LIN-12 and GLP-1 signaling" Proc. Natl. Acad. Sci. U.S.A. (1997) 94(22):12204-9;
- 31. Mello C.C. et al. "Efficient gene transfer in C. elegans: extrachromosomal maintenance and integration of transforming sequences" EMBO J. (1991) 10(12):3959-70;
- 32. Neer E.J. et al. "The ancient regulatory-protein family of WD-repeat proteins," Nature 371:297-300 (1994);
- 33. Robbins J. et al. "Mouse mammary tumor gene int-3: a member of the Notch gene family transforms mammary epithelial cells," J. Virol. 66:2594-99 (1992);
- 34. Rogaev E. I. et al. "Familial Alzheimer's disease in kindreds with missense mutations in a gene on chromosome 1 related to the Alzheimer's disease type 3 gene" Nature (1995) 376(6543):775-8;
- 35. Seydoux G. and Greenwald I. "Cell autonomy of lin-12 function in a cell fate decision in C. elegans," Cell 57:1237-45 (1989);

Serial No.: Not Yet Known

Filed: Herewith

- 36. Shen J. et al. "Skeletal and CNS defects in presenilin-1-deficient mice," Cell 89:629-39 (1997);
- 37. Sherrington R. et al. "Cloning of a gene bearing missense mutations in early-onset familial Alzheimer's disease"

 Nature (1995) 375(6534):754-60;
- 38. Stratagene Cloning Systems Catalog, 1993, pages 27, 31, 32, and 313;
- 39. Struhl G. et al., "Intrinsic activity of the Lin-12 and Notch intracellular domains in vivo" Cell (1993) 74(2):331-45;
- 40. Sundaram M. and Greenwald I. "Genetic and phenotypic studies of hypomorphic lin-12 mutants in Caenorhabditis elegans" Genetics (1993) 135(3):755-63;
- 41. Sundaram M. and Greenwald I. "Suppressors of a lin-12 hypomorph define genes that interact with both lin-12 and glp-1 in Caenorhabditis elegans" Genetics (1993) 135(3):765-83;
- 42. Tuck S. and Greenwald I. "Lin-25, a gene required for vulval induction in C. elegans," Genes Dev. 9:341-57 (1995);
- 43. Wen C. et al. "spr-2, a suppressor of the egg-laying defect caused by loss of sel-12 presentilin in Caenorhabditis elegans, is a member of the SET protein subfamily" Proc. Natl. Acad. Sci. U.S.A. (2000) 97(26):14524-9;
- 44. Wilkinson H.A. and Greenwald I. "Spatial and temporal patterns of lin-12 expression during C. elegans hermaphrodite development" Genetics (1995) 141(2):513-26;
- 45. Wilkinson H.A. et al. "Reciprocal changes in expression of the receptor lin-12 and its ligand lag-2 prior to

Serial No.: Not Yet Known

Filed: Herewith

Page 15

commitment in a C. elegans cell fate decision" Cell (1994) 79(7):1187-98;

- 46. Wilson R. et al. "2.2 Mb of contiguous nucleotide sequence from chromosome III of C. elegans," Nature 368:32-38 (1994);
- 47. Wong P.C. et al. "Presenilin-1 is required for Notch1 and DII 1 expression in the paraxial mesoderm," Nature 387:288-91 (1997); and
- 48. Yochem J. and Byers B. "Structural comparison of the yeast cell division cycle gene CDC4 and a related pseudogene," J. Mol. Biol. 195:233-45 (1987).

No fee, other than the enclosed filing fee, is deemed necessary in connection with the filing of this Preliminary Amendment. However, if any additional fee is required, authorization is hereby given to charge the amount of such fee to Deposit Account No. 03-3125.

If a telephone interview would be of assistance in advancing prosecution of the subject application, applicants' undersigned attorneys invite the Examiner to telephone them at the number provided below.

Respectfully submitted,

John P. White
Registration No. 28,678
Alan J. Morrison
Registration No. 37,399
Attorneys for Applicants
Cooper & Dunham, LLP
1185 Avenue of the Americas
New York, New York 10036
(212)278-0400